

BVK Dr with enzymes

With this concentrate and own grain you can produce a high quality feed mixtures for poultry cheaply straight at home.

Ingredients:

Soybean peeled extr. toasted meal, corn gluten, calcium carbonate, calcium dihydrogen phosphate, beet molasses, sodium chloride, L-lysine HCl, D, L-methionine.

Dosage:

Category	BVK DR	Wheat +Barley	Complete mixture	Dose for 10 pcs.
Chickens for fattening 0-25 days	3 kg	6 kg	9 kg	15 days
Chickens for final fattening	3 kg	9 kg	12 kg	10 days
Intensive laying hens	3 kg	14 kg	17 kg	11 days
Hens in advanced laying	3 kg	20 kg	23 kg	15 days

Storage conditions:

Store in a cool dry place. Packaging: 5kg, 25kg

Recommendation for use:

For the production of feed mixture use wheat or barely. Using barley up to 30% of the feed mixture is possible due to the application of enzyme Prozyme Dry WPC. Hens should simultaneously be feeding with limestone or limestone grit in the aprox. amount of 7% of the feed. Suplementary feed does not contain anticoccidicum.

Analytical composition	Per 1 kg
Crude protein	44,0 %
Crude fiber	3,3 %
Crude oils and fat	1,2 %
Crude ash	14,5 %
L-Lysine L-Lysine	3,0 %
D,L-Methionine	1,13 %
Copper sulfate pentahydrate CuSO4.5H2O (Cu) E 4	38 mg
Manganese oxide MnO (Mn) E 5	420 mg
Zinc oxide (Zn0) E 6	350 mg
Calcium iodate anhydrous (CalO3)2 (I) E 2	3 mg
Cobalt acetate Co(CH3COO)2 (Co) E 3	1 mg
Sodium selenite Na2SeO3 (Se) E 8	0,3 mg
Vitamin A E 672	50000 m.j.
Vitamin D3 E 671	11000 m.j.
Vitamin E (alfatokoferol)	80 mg
Vitamin B2	30 mg
Vitamin B12	2 mg
Endo 1,4 b-xylanase (EC 3.2.1.8) E 1604	231 U
Endo 1,3 (4) b-glucanase (EC 3.2.1.6) E 1604	330 U
3-phytase (EC 3.1.3.8) E 1600	1650 FTU



VVS Verměřovice s.r.o. Krmivářská 225 561 52 Verměřovice (**) +420 465 642 670 GSM: +420 775 755 175 email: vvs@vvs.cz, **www.vvs.cz**

